

#### Easily Extendable Modular Storage Units Suitable For

- ☐ Home Use for Tools & other
- Estates and Residential Complex where Extra Storage Space is Required
- Businesses , for Storage of Equipment, Finished Goods, Flammable Products,
   Quarantine Area, Efficient Inventory Management
- ☐ Church offices/Classrooms and 4x4m extended units can be used as worship room

# Panels:

- ☐ Chromadek 0,5 mm thick.
- ☐ Durable and Rust Resistant.
- ☐ Strong and Robust for Rigid Construction
- ☐ Buckling Resistant to Wind Loading
- Bolted to a Strong and Rigid Steel Structure

#### Frame:

- ☐ Steel tubing 25 x 25 x 1,6mm
- ☐ Sealed During Construction to Prevent water Ingress into the Metal
- ☐ Steel Corner Bracing to Resist Shear and Torsion Loading and Provide the Rigidity of the Structure
- Galvanised Bolts and nuts for ease of assembly and dismantling for transportation



#### Features:

- ☐ Can be Extended to The Left and Right When Extra Storage Space is Required
- **□** Number of left and Or Right Extensions are Infinite
- ☐ Cost per extension is about 70% of the Original Costs resulting a Massive Saving when Multiple Extensions are required.
- ☐ The Units Can be extended anytime After the Initial Installation.
- ☐ Can be Easily Dismantled and Re- Assembled
- All connections are Galvanised Bolts and Nuts for Ease of Assembly, Dismantling and Durability.
- ☐ Can be Built on any Surface including Grass and Rigid Sand
- Designed and Built to Last
- ☐ The Storage Units are Available in 3 Colour Combinations
  - **\*** Brown with Gemsbok Sand Trimming
  - Charcoal Grey with Sandstone Beige trimming
  - Kalahari Red with White Lion trimming





# Roof:

- □ Roof is at an Angle for ease of water Drainage
- ☐ It is quick Draining to Prevent Water/ Rain loading
- ☐ Made of Durable and Rust Resistant Chromadek
- Made of Steel Tubing withMore bracing to PreventSagging
- Gutters can be Installed as an Optional Extra

### Doors

- ☐ Double Door Providing a 1500mm Opening
- Door Opening Angle, 120
  Degrees
- ☐ Made of Durable and Rust Resistant Chromadek
- Made of Steel Tubing with More bracing for more strength
- ☐ Robust Lock for Better Security

## Floor:

- ☐ Two options to chose from:
  Wooden Floor or Concrete Slab
  floor
- Wooden floor is supported by well coated 76 x 38 mm Timber sections with a super wood board on top
- ☐ The Concrete slab Floor is made up of 440x440x 50mm Concrete Slabs laid on the ground with sides well closed to prevent Lateral Movement
- ☐ The Concrete is Easy to
  Assemble and Dismantle
- □ Both Wooden and Concrete Floor can be Rubberised to Eliminate the Risk of Slippage During Wet Weathers

## Contact us:

Mobile:

Joel : + 27 72 616 1093

Peter : + 27 83 327 5324

Email:

pel.Sibanda@makwehe.co.za

Peter.mbuli@makwehe.co.za

Information @makwehe.co.za

Website: www.makwehe.co.za









# Price of Storage Units with Wooden Floor Including VAT

1) 1.5 L X 1.5 W X 2H (m) : R 6 472

2) 1.5 L X 2.3 W X 2H (m) : R 8 889

3) 2.3 L X 2.3 W X 2H (m) : R 9 845

4) 3 L X 2.3 W X 2H (m) : R 12 862

5) 3 L X 3 W X 2H (m) : R 14 222

6) 4.5 L X 3 W X 2H (m) : R 18 261

7) 4.5 L X 4.5 W X 2H (m) : R 20 800

# Cost of Storage Units with Wooden Floor Included in the House Bond – for Newly Built Homes

1) 1.5 L X 1.5 W X 2H (m) : R 62

2) 1.5 L X 2.3 W X 2H (m) : R 73

3) 2.3 L X 2.3 W X 2H (m) : R 86

4) 3 L X 2.3 W X 2H (m) : R 105

5) 3 L X 3 W X 2H (m) : R 123

6) 4.5 L X 3 W X 2H (m) : R 150

7) 4.5 L X 4.5 W X 2H (m) : R 175

Includes 10% interest and exclude any service fees

#### **Transport is Free for all Gauteng Deliveries**

Extras: 600x600 mm Sliding Window with glass Costs R 1090

: 2 X 2m Sliding door with glass costs R 3761

